ZINTA

Design by
Lievore Altherr Molina, 2014



arper

Zinta
Design by Lievore Altherr Molina, 2014

Abaco di collezione

Zinta Lounge

Cuscinature disponibili



— Schienale a vista
— Cuscino unico seduta



— Multi-cuscino schienale
— Cuscino unico seduta



— Multi-cuscino schienale
— Multi-cuscino seduta

Opzione bracciolo destro e/o sinistro.
Per Art. 4401 e 4419: braccioli non disponibili



Moduli



120 cm 180 cm 270 cm



90° dx 90° sx



135° dx 135° sx

info@arper.com
www.arper.com

Zinta
Design by Lievore Altherr Molina, 2014

Zinta Waiting

Cuscinature disponibili



— Cuscino unico schienale
— Cuscino unico seduta



— Multi cuscino schienale
— Multi cuscino seduta



Opzione bracciolo per versione multi cuscino

Moduli



240 cm



300 cm



90° dx



90° sx

arper
info@arper.com
www.arper.com

Zinta
Design by Lievore Altherr Molina, 2014

Zinta Eating

Cuscinature disponibili



— Schienale e seduta a vista



— Schienale a vista
— Cuscino unico seduta

Moduli



140 cm | 240 cm | 300 cm



90° dx | 90° sx

arper
info@arper.com
www.arper.com

Zinta
Design by Lievore Altherr Molina, 2014

Esempi di configurazioni possibili

Zinta Lounge



Zinta Waiting



Zinta Eating



arper

info@arper.com
www.arper.com

Zinta
Design by Lievore Altherr Molina, 2014

Disegni Tecnici

Zinta Lounge



Art. 4401



Art. 4419



Art. 4402



Art. 4403



Art. 4420

Lounge Wood



Art. 4404



Art. 4405



Art. 4421



Art. 4406



Art. 4407



Art. 4422

arper
info@arper.com
www.arper.com

Zinta
Design by Lievore Altherr Molina, 2014

Disegni Tecnici



Art. 4408



Art. 4409



Art. 4423



Art. 4410



Art. 4411



Art. 4424



Art. 4412



Art. 4413



Art. 4425

arper
info@arper.com
www.arper.com

Zinta
Design by Lievore Altherr Molina, 2014

Disegni Tecnici

Zinta Waiting



Art. 4500

Art. 4501



Art. 4502



Art. 4503



Art. 4508



Art. 4509



Art. 4510



Art. 4511

arper
info@arper.com
www.arper.com

Zinta
Design by Lievore Altherr Molina, 2014

Disegni Tecnici

Zinta Eating



Art. 4600/4618



Art. 4606/4612



Art. 4601/4619



Art. 4607/4613



Art. 4602/4620



Art. 4608/4614



Art. 4603/4621



Art. 4609/4615



Art. 4604/4622



Art. 4610/4616

arper
info@arper.com
www.arper.com

Zinta
Design by Lievore Altherr Molina, 2014

Finiture Moduli

Struttura base



V44 matt

Scocca



L0006



L0022



L0023

Rivestimento

I prodotti Arper possono essere rivestiti con un'ampia scelta di tessuti, ognuno dei quali disponibili in diverse colorazioni.
Clicca qui per scoprire tutte le possibilità.

Certificazioni

greenguard.org

arper
info@arper.com
www.arper.com

Zinta
Design by Lievore Altherr Molina, 2014

Specifiche di spedizione

Art. 4401: 1 pz =2 box – kg 34/ m3 1,002
Art. 4419: 1 pz =1 box – kg 34/ m3 1,002
Art. 4402: 1 pz =1 box – kg 48 / m3 1,415
Art. 4403: 1 pz =1 box – kg 48 / m3 1,415
Art. 4420: 1 pz =1 box – kg 46 / m3 1,415
Art. 4404: 1 pz =1 box – kg 68 / m3 2,035
Art. 4405: 1 pz =1 box – kg 68 / m3 2,035
Art. 4421: 1 pz =1 box – kg 68 / m3 2,035
Art. 4406: 1 pz =1 box – kg 55/ m3 2,104
Art. 4407: 1 pz =1 box – kg 55/ m3 2,104
Art. 4422: 1 pz =1 box – kg 54/ m3 2,104
Art. 4401: 1 pz =1 box – kg 34/ m3 1,002
Art. 4419: 1 pz =1 box – kg 34/ m3 1,002
Art. 4402: 1 pz =1 box – kg 48/ m3 1,415
Art. 4403: 1 pz =1 box – kg 48/ m3 1,415
Art. 4420: 1 pz =1 box – kg 48/ m3 1,415
Art. 4404: 1 pz =1 box – kg 68/ m3 2,035
Art. 4405: 1 pz =1 box – kg 68/ m3 2,035
Art. 4421: 1 pz =1 box – kg 68/ m3 2,035
Art. 4406: 1 pz =1 box – kg 64,5 / m3 1,038
Art. 4407: 1 pz =1 box – kg 64,5 / m3 1,038
Art. 4422: 1 pz =1 box – kg 64,5 / m3 1,038
Art. 4408: 1 pz =1 box – kg 55/ m3 2,104
Art. 4409: 1 pz =1 box – kg 55/ m3 2,104
Art. 4423: 1 pz =1 box – kg 55/ m3 2,104
Art. 4412: 1 pz =1 box – kg 53/ m3 1,697
Art. 4413: 1 pz =1 box – kg 53/ m3 1,697
Art. 4425: 1 pz =1 box – kg 50/ m3 1,697
Art. 4416: 1 pz =1 box – kg 2,5/ m3 0,118

Art. 4427: 1 pz =1 box – kg 1/ m3 0,069

Caratteristiche tecniche

Art. 4401: COL requirement m2 7.03 — COM H 140 cm Meterage m 2.86
Art. 4419: COL requirement m2 5.07 — COM H 140 cm Meterage m 1.82
Art. 4402 COL requirement m2 13.02 — COM H 140 cm Meterage m 5.06
Art. 4403: COL requirement m2 12.52 — COM H 140 cm Meterage m 4.6
Art. 4420: COL requirement m2 6.27 — COM H 140 cm Meterage m 2.48
Art. 4404: COL requirement m2 19.53 — COM H 140 cm Meterage m 7.59
Art. 4405: COL requirement m2 15.05 — COM H 140 cm Meterage m 6.58
Art. 4421: COL requirement m2 7.56 — COM H 140 cm Meterage m 3.47
Art. 4406: COL requirement m2 13.02 — COM H 140 cm Meterage m 5.06
Art. 4407: COL requirement m2 12.63 — COM H 140 cm Meterage m 5.28
Art. 4422: COL requirement m2 7 — COM H 140 cm Meterage m 3.3
Art. 4401: COL requirement m2 7.03 — COM H 140 cm Meterage m 2.86
Art. 4419: COL requirement m2 2.07 — COM H 140 cm Meterage m 0,83
Art. 4402: COL requirement m2 13.02— COM H 140 cm Meterage m 5.06
Art. 4403: COL requirement m2 12.52 — COM H 140 cm Meterage m 4.6
Art. 4420: COL requirement m2 6.27 — COM H 140 cm Meterage m 2.48
Art. 4404: COL requirement m2 19.53 — COM H 140 cm Meterage m 7.59
Art. 4405: COL requirement m2 15.05 — COM H 140 cm Meterage m 6.58
Art. 4421: COL requirement m2 7.56 — COM H 140 cm Meterage m 3.47
Art. 4406: COL requirement m2 13.02 — COM H 140 cm Meterage m 5.06
Art. 4407: COL requirement m2 12.63 — COM H 140 cm Meterage m 5.28
Art. 4422: COL requirement m2 7 — COM H 140 cm Meterage m 3.3
Art. 4408: COL requirement m2 13.02 — COM H 140 cm Meterage m 5.06
Art. 4409: COL requirement m2 12.63 — COM H 140 cm Meterage m 5.28
Art. 4423: COL requirement m2 7 — COM H 140 cm Meterage m 3.3
Art. 4412: COL requirement m2 12.66 — COM H 140 cm Meterage m 5.5
Art. 4413: COL requirement m2 12.7 — COM H 140 cm Meterage m 5.39
Art. 4425: COL requirement m2 6.22 — COM H 140 cm Meterage m 2.81
Art. 4416: COL requirement m2 2.49 — COM H 140 cm Meterage m 2.11
Art. 4418: COL requirement m2 2.67 — COM H 140 cm Meterage m 1.71
Art. 4427: COL requirement m2 1.57 — COM H 140 cm Meterage m 1.52

Zinta Waiting

Art. 4500: 1 pz =1 box – kg 58/ m3 0,939
Art. 4501: 1 pz =1 box – kg 58/ m3 0,939
Art. 4502: 1 pz =1 box – kg 72/ m3 1,153
Art. 4503: 1 pz =1 box – kg 72/ m3 1,153
Art. 4508: 1 pz =1 box – kg 47/ m3 0,964
Art. 4509: 1 pz =1 box – kg 47/ m3 0,964
Art. 4510: 1 pz =1 box – kg 47/ m3 0,964
Art. 4511: 1 pz =1 box – kg 47/ m3 0,964

Art. 4500: COL requirement m2 7.2 — COM H 140 cm Meterage m 3.48
Art. 4501: COL requirement m2 5.72 — COM H 140 cm Meterage m 2.85
Art. 4502: COL requirement m2 9 — COM H 140 cm Meterage m 4.35
Art. 4503: COL requirement m2 7.42 — COM H 140 cm Meterage m 3.51
Art. 4508: COL requirement m2 5.4 — COM H 140 cm Meterage m 2.61
Art. 4509: COL requirement m2 5.47 — COM H 140 cm Meterage m 2.77
Art. 4510: COL requirement m2 5.4 — COM H 140 cm Meterage m 2.61
Art. 4511: COL requirement m2 5.47 — COM H 140 cm Meterage m 2.77

arper
info@arper.com
www.arper.com

Zinta
Design by Lievore Altherr Molina, 2014

Zinta Eating

Art. 4600: 1 pz =1 box – kg 34/ m3 0,574
Art. 4606: 1 pz =1 box – kg 29/ m3 0,574
Art. 4601: 1 pz =1 box – kg 50/ m3 0,925
Art. 4607: 1 pz =1 box – kg 42/ m3 0,925
Art. 4602: 1 pz =1 box – kg 50/ m3 1,136
Art. 4608: 1 pz =1 box – kg 52/ m3 1,136
Art. 4603: 1 pz =1 box – kg 48/ m3 1,136
Art. 4609: 1 pz =1 box – kg 42/ m3 1,136
Art. 4604: 1 pz =1 box – kg 48/ m3 0,923
Art. 4610: 1 pz =1 box – kg 42/ m3 0,923
Art. 4612: 1 pz =1 box – kg 29/ m3 0,574
Art. 4618: 1 pz =1 box – kg 34/ m3 0,574
Art. 4613: 1 pz =1 box – kg 42/ m3 0,925
Art. 4619: 1 pz =1 box – kg 50/ m3 0,925
Art. 4614: 1 pz =1 box – kg 52/ m3 1,136
Art. 4620: 1 pz =1 box – kg 62/ m3 1,136
Art. 4615: 1 pz =1 box – kg 42/ m3 0,923
Art. 4621: 1 pz =1 box – kg 48/ m3 0,923
Art. 4616: 1 pz =1 box – kg 42/ m3 0,923
Art. 4622: 1 pz =1 box – kg 48/ m3 0,923

Art. 4600: COL requirement m2 5.4 — COM H 140 cm Meterage m 2.61

Art. 4601: COL requirement m2 3.24 — COM H 140 cm Meterage m 2.85

Art. 4602: COL requirement m2 3.96 — COM H 140 cm Meterage m 3.51

Art. 4603: COL requirement m2 2.82 — COM H 140 cm Meterage m 2.6

Art. 4604: COL requirement m2 2.82 — COM H 140 cm Meterage m 2.6

Art. 4618: COL requirement m2 1.8 — COM H 140 cm Meterage m 1.75

Art. 4619: COL requirement m2 3.24 — COM H 140 cm Meterage m 2.85

Art. 4620: COL requirement m2 3.96 — COM H 140 cm Meterage m 3.51

Art. 4621: COL requirement m2 2.82 — COM H 140 cm Meterage m 2.6

Art. 4622: COL requirement m2 2.82 — COM H 140 cm Meterage m 2.6

Test di resistenza

Test ignifughi

Classe 1IM Omologazione Italia

Zinta Lounge: Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Tessuto spalmato Valencia Spradling.

Zinta Waiting: Elmosoft. Remix 3 Kvadrat. Tessuto spalmato Valencia Spradling.

Zinta Eating: Elmosoft. Remix 3 Kvadrat. Tessuto spalmato Valencia Spradling.

arper
info@arper.com
www.arper.com

Italy

Monastier (TV) — Headquarters
and showroom
Arper SPA
Via Lombardia 16
31050 Monastier di Treviso (TV)
T +39 0422 7918
info@arper.com
www.arper.com

Commerciale Italia
T +39 0422 791905
commerciale@arper.com

Export Office
sales@arper.com

Milan — Showroom
Via Pantano 30
20122 Milan
T +39 02 89093865
milano@arper.com

EUROPE

UK

London — Subsidiary and showroom
Arper UK LTD
11 Clerkenwell Road
London EC1M 5PA
T +44 (0) 20 7253 0009
london@arper.com

Germany

Cologne — Showroom
Design Post Köln
Deutz-Mülheimer-Str. 22a
50679 Köln
T +49 221 690 650
info@designpost.de

Fruchtof München — Meeting Hub
2. Innenhof, 2. Etage
Gotzinger Straße 52b
D-81371 München
T +49 171 1080976
muenchen@arper.com

Norway

Oslo — Showroom
Drammensveien 130
0277 Oslo
T +47 908 202226
norway@arper.com

Sweden

Stockholm — Branch
T +46 705 101216
sweden@arper.com

The Netherlands

Amsterdam — Showroom
Design Post
Cruquiusweg 111-L
1019 AG Amsterdam
T +31 (0)20 705 1555
holland@arper.com

AMERICA

USA

New York — Subsidiary and showroom
Arper USA Inc.
476 Broadway, Suite 2F
NY 10013 New York
T +1 (212) 647 8900
infousa@arper.com

Chicago — Showroom
The Merchandise Mart
Space#346 - 3rd Floor
Chicago
T +1 (336) 434 2366
infousa@arper.com

High Point, North Carolina — Production
and logistics site
660 Southwest St
High Point, NC 27260
T +1 (336) 434 2370
infousa@arper.com

Los Angeles — Showroom
550 South Hope St., Suite 275
90071 Los Angeles
T +1 (336) 434 2382
infousa@arper.com

Mexico

Mexico City — Subsidiary and showroom
Culiacan 123, Piso 9
Col. Hipodromo Condesa
Delegation Cuauhtémoc
06170 – Ciudad de México
Mexico
T +52 1 62714417
infolatam@arper.com

ASIA

Japan

Arper Japan K.K. — Subsidiary
and showroom
HT Jingu Gaien Bldg.8F
Minato-ku Kita-Aoyama 2-7-22
Tokyo 107-0061
T +81 3 5775 0008
carejpn@arper.com

Singapore

Singapore — Branch
219 Kailang Bahru, #03-01
339348 Singapore
singapore@arper.com

UAE

Arper Middle East and India
— Subsidiary
and showroom
U-Bora Towers - Unit 1901
Business Bay
Dubai
T +971 529255633
infome@arper.com

arper

info@arper.com

www.arper.com

For more information on product and environmental certifications contact us at: environment@arper.com